

DE HOOP RED TRAVERTINE FBS



PRODUCT RANGE
CLASSIFICATION

CLAY FACE BRICK
FBS - FACE BRICK STANDARD

Clay bricks that are selected or produced for their durability and uniformity of size and shape.



BRICK TEXTURE - TRAVERTINE

A light textured finish with a natural clay grain appearance.



Variations in colour, texture, and size are natural characteristics of clay products and production variations can occur from batch to batch. Whilst every effort is made to provide brochures consistent with products delivered to site, they should be viewed as a guide only.

DE HOOP RED TRAVERTINE FBS



SPECIFICATIONS

Size (length x width x height)	222 x 106 x 73mm	Classification	FBS
SANS	-	ISO	-
Typical Compressive Strength	>44MPa	Typical 24^{hr} Water Absorbtion	>7%
Moisture Expansion Category	I	Efflorescence Rating	Nil-Slight
Exposure Zone Suitability	1 - 3	Bricks per m² (excluding cutting & waste)	51
Factory Manufactured At	De Hoop, Cape Town	Bricks per pallet	500
Average mass per brick	4.2kg	Available in Special Shaped Bricks	Yes



View the range of Special Shaped Bricks | www.corobrik.co.za



The Avenue at the Two Oceans Aquarium

Download the high-resolution swatches, BIM files and view more project photos | www.corobrik.co.za

Variations in colour, texture, and size are natural characteristics of clay products and production variations can occur from batch to batch. Whilst every effort is made to provide brochures consistent with products delivered to site, they should be viewed as a guide only.